


Mayor's Office-226-7601
 Clerk-226-7606
 Assessing-226-7623
 Building Dept.-226-7640
 CFO/Administrator-226-7602
 Computer Services-226-7649
 Emergency Mgmt.-226-7718
 Eng./T & M Assoc.-732-671-6400
 Environmental-226-7621
 Finance-226-7615
 Fire Official-756-4761



BOROUGH OF SOUTH PLAINFIELD

2480 Plainfield Avenue
 South Plainfield, NJ 07080

Health-226-7630
 Library-754-7885
 Municipal Court-226-7651
 Plan Bd/Bd. of Adj.-226-7641
 Police-755-0700
 Public Works-755-2187
 Recreation-226-7713
 Recycling-226-7621
 Social Services-226-7625
 Tax/Sewer-226-7610
 Senior Center-754-1047

Note to Homeowners and Contractors doing repairs/renovations and alterations
Smoke Detector and Carbon Monoxide Detector Requirements

State Law requires that all residential uses have smoke detectors installed and maintained on each level of the structure (including basements), outside each separate sleeping area in the vicinity of the bedrooms and located on or near the ceiling but not in corners. Battery operated detectors are acceptable. Homes built after 1977 which required a/c smoke detectors or a/c inter wired smoke detectors or inter wired smoke detectors with battery backup must maintain these types of detectors and cannot substitute with battery operated smoke detectors.

State law requires that all residential uses containing a fuel burning appliance or having an attached garage install a carbon monoxide alarm in the immediate vicinity of all bedroom areas. Battery operated, hard wired, or plug in types are permitted.

If you are a contractor or homeowner doing any type of repair/renovation or alteration work in a residential property, please note this requirement. This would include but is not limited to re-roofing, siding, water heater replacement or installation, furnace or boiler replacement or installation. Note: Home additions may require additional inter wired detectors with battery backup.

If you have any questions regarding this, please call Dominic Demico, Jr, Construction Official, at (908)226-7645.